Resonance®
Educating for better tomorrow

CHEMISTRY

Target : JEE(Main) &
Target : JEE(Main + Advanced)

BASIC INORGANIC NOMENCLATURE

BASIC INORGANIC NOMENCLATURE

Contents

Basic Inorganic Nomenclature

Th-1 Oxidation Number

- It is an imaginary or apparent charge developed over atom of an element when it goes from its elemental free state to combined state in molecules.
- It is calculated on the basis of an arbitrary set of rules.
- It is a relative charge in a particular bonded state.
- In order to keep track of electron-shifts in chemical reactions involving formation of compounds, a more practical method of using oxidation number has been developed.
- In this method, it is always assumed that there is a complete transfer of electron from a less electronegative atom to a more electronegative atom.

Rules governing oxidation number

The following rules are helpful in calculating oxidation number of the elements in their different compounds. It is to be remembered that the basis of these rule is the electronegativity of the element.

- **Fluorine atom :**
  Fluorine is most electronegative atom (known). It always has oxidation number equal to –1 in all its compounds
- **Oxygen atom :**
  In general and as well as in its oxides , oxygen atom has oxidation number equal to –2.

  In case of
  (i) peroxide (e.g. H_2O_2, Na_2O_2) is –1,
  (ii) super oxide (e.g. KO_2) is –1/2
  (iii) ozonide (e.g. KO_3) is –1/3
  (iv) in OF_2 is + 2 & in O_2F_2 is +1
- **Hydrogen atom :**
  In general, H atom has oxidation number equal to +1. But in metallic hydrides (e.g. NaH, KH), it is –1.

HALOGEN ATOM :

In general, all halogen atoms (Cl, Br , I) have oxidation number equal to –1.
But if halogen atom is attached with a more electronegative atom than halogen atom, then it will show positive oxidation numbers.

e.g. $K\overset{+5}{Cl}O_3$, $H\overset{+5}{I}O_3$, $H\overset{+7}{Cl}O_4$, $K\overset{+5}{Br}O_3$

METALS :

(a) Alkali metal (Li , Na, K, Rb, ...) always have oxidation number +1
(b) Alkaline earth metal (Be , Mg , Ca ....) always have oxidation number +2.
(c) Aluminium always has +3 oxidation number

Note : Metal may have positive or zero oxidation number

- Oxidation number of an element in free state or in allotropic forms is always zero
  e.g. $\overset{0}{O_2}$, $\overset{0}{S_8}$, $\overset{0}{P_4}$, $\overset{0}{O_3}$
- Sum of the oxidation numbers of atoms of all elements in a molecule is zero.
- Sum of the oxidation numbers of atoms of all elements in an ion is equal to the charge on the ion .
- If the group number of an element in modern periodic table is ***n***, then its oxidation number may vary from

  (n – 10) to ***(n – 18)***

  (but it is mainly applicable for p-block elements)

  e.g. N- atom belongs to 15th group in the periodic table, therefore as per rule, its oxidation number may vary from

  –3 to +5 ($\overset{-3}{N}H_3$, $\overset{+2}{N}O$, $\overset{+3}{N_2}O_3$, $\overset{+4}{N}O_2$, $\overset{+5}{N_2}O_5$)
- The maximum possible oxidation number of any element in a compound is never more than the number of electrons in valence shell.(but it is mainly applicable for p-block elements)

Table-1

List of common oxidation sate of an element in Periodic Table

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1 H +1, –1																	2 He
3 Li +1	3 Be +2											5 B +3, –3	6 C +4, +2, –4, etc.	7 N +5, +4, +3, +1, –3, 0, etc.	8 O +2, –1/2, –1, –2	9 F –1	10 Ne
11 Na +1	12 Mg +2											13 Al +3	14 Si +4, –4	15 P +5, +3, +1, –3	16 S +6, +4, +2, –2	17 Cl +5, +7, +3, +1, –1, etc.	18 Ar 0
19 K +1	20 Ca +2	21 Sc +2, +3	22 Ti +2, +3, +4	23 V +2, +3, +4, +5	24 Cr +2, +3, +4, +5, +6	25 Mn +2, +3, +4, +5, +6, +7	26 Fe +2, +3, +4, +5, +6	27 Co +2, +3, +4, +5	28 Ni +2, +3, +4	29 Cu +2, +3	30 Zn +2	31 Ga +3	32 Ge +4, –4	33 As +5, +3, –3	34 Se +6, +4, –2	35 Br +5, +3, +1, –1	36 Kr +4, +2, 0
37 Rb +1	38 Sr +2											49 In +3, +1	50 Sn +4, +2	51 Sb +5, +3, –3	52 Te +6, +4, –2	53 I +7, +5, +1, 0, –1	54 Xe +6, +4, +2, 0
55 Cs +1	56 Ba +2											81 Tl +3, +1	82 Pb +4, +2	83 Bi +5, +3	84 Po	85 At	86 Rn

Th-2 Elements

General Rule : The names of metals generally end with-ium or-um (examples are sodium, potassium, aluminum, and magnesium).

The exceptions are metals that were used and named in ancient times, such as iron, copper, and gold.

The names of nonmetals frequently end with-ine, -on, or -gen (such as iodine, argon, and oxygen.) Given the names of the constituent elements and common ions, most of the common inorganic compounds can be named using the rules presented below.

Th-3 Acids :

Acids are normally classified in two groups, hydracids and oxyacids

Hydracids :

Hydracids are acids which contain hydrogen and a non-metal, but no oxygen.

General Rule : The names of hydracids have the prefix hydro-(sometimes shortened to hydr-) and the suffix-ic attached to the stem based on the names of the constituent elements (other than hydrogen.)

For example, HCl (made of hydrogen and chlorine) is hydrochloric acid; HBr (made of hydrogen and bromine) is hydrobromic acid; HI (made of hydrogen and iodine) is hydroiodic acid; HCN (made of hydrogen, carbon, and nitrogen) is hydrocyanic acid; and H_2S (made of hydrogen and sulfur) is hydrosulfuric acid.

Th-4 Oxoacids or Oxyacids

The acids which contain hydrogen, oxygen and a metal or non-metal.

In this case, more than one possibility aries due to the presence of different number of oxygen atoms. An example of such an oxoacid series is as follows: HClO, $HClO_2$, $HClO_3$, $HClO_4$. All these contains same three elements but differ in the number of oxygen atoms present.

General Rule-1 :

If a class of acids contains only one member, its name is given the suffix-ic.

For example, hydrogen, carbon and oxygen combine to fo n only one acid i.e. H_2CO_3. It is called carbonic acid (carbonic acid.)

General Rule-2 :

If an acid series contains two acids, such as H_2SO_4 and H_2SO_3, the acid containing more oxygen atoms is given the suffix -ic, while the acid with fewer oxygen atoms is given the suffix-ous.

For example, H_2SO_4 is sulphuric acid, and H_2SO_3 is sulphurous acid.

Similarly, HNO_3 is nitric acid and HNO_2 is nitrous acid.

General Rule-3 :

The prefix ortho and meta have been used to distinguish acids differenting in the 'content of water'

(H_3BO_3)- orthoboric acid $-H_2O$

$(HBO_2)_n$ -metaboric acid

General Rule-4 :

The prefix pyro has been used to designate an acid formed from two molecules of an ortho acid minus one molecule of water.

ex- $H_4P_2O_7$ -pyro phosphoric acid

General Rule-5 :

The prefix peroxo indicates the substitution '–O–' by '–O–O–'

HNO_4 - peroxo nitric acid

H_3PO_5-peroxo mono phosphoric acid

General Rule-6 :

Acid derived by oxoacids by replacement of oxygen by sulphur are called thio acids.

$H_2S_2O_2$- thio sulphurous acid

$H_2S_2O_3$- thio sulphuric acid

Note : when more than one oxygen atom can be replaced by sulphur the number of sulphur atom should generally indicated

H_3PO_3S mono thio phosphoric acid

$H_3PO_2S_2$ Dithiophosphoric acid

In the case of an extensive acid series (such as HClO, $HClO_2$, $HClO_3$, $HClO_4$), the acid with the one oxygen atoms lesser than -ous acid is given the prefix hypo- and the suffix -ous, and the acid with the one oxygen atom more than the -ic acid is given the prefix per and a suffix-ic.

In the above example, HClO is hypochlorous acid $HClO_2$ is chlorous acid, $HClO_3$ is chloric acid, and $HClO_4$ is perchloric acid.

Th-5 Cations (Positive ions)

Metal atoms with single positive charge

Rule : Names of positive ions end with-ium if the ion has only one oxidation state (Only one level of net charge). For example , the positive ion of sodium is Na^+ (sodium ion), and the positive ion of aluminium is Al^{3+} (aluminium ion).

Metal atoms with more than one possible charges

Rule : If the cation has variable valency (charge), charge is specified in roman numerals in round brackets immediately after the name of metal atom. For example , Sn^{2+} is written as tin (II) ion. **Alternately, the less positive ion ends with -ous, and the more positive ion ends with -ic.** For instance, the two positive ions of copper are Cu^+ (cuprous) and Cu^{2+} (cupric). The oxidation state of a positive ion can also be designated by placing a Roman numeral after the name of the elements. These positive ions of copper can also be written as copper(I) and copper(II), respectively.

Ions	Name
Cu^+	cuprous ion
Sn^{2+}	Stannous ion
Sn^{4+}	Stannic ion
Fe^{3+}	Ferric ion
Fe^{2+}	Ferrous ion

General Rule-3

Suffix-nium is often used with cations containing non metals.

For example, the positive ion of ammonia is NH_4^+ (ammonium) and the positive ion of water (H_2O) is H_3O^+ or H^+ (hydronium).

Remember these names !

NO_2^+ : nitronium

NO^+ : nitrosonium

H_3O^+ : hydronium

From NH_3 ammonia is derived NH_4^+ : ammonium.

Similarly.

N_2H_4 : hydrazine $\longrightarrow$ N_2H_5 : hydrazinium

$C_6H_5NH_2$: aniline $\longrightarrow$ $C_6H_5NH_3^+$:anilinium

C_5H_5N : pyridine $\longrightarrow$ $C_5H_5NH^+$: pyridinium

Th-6 Anions (Negative Ions)

Anions can always be looked upon as ions derived from acids by removal of one or more protons. Accordingly, anions can be classified as follows :

Anions derived from hydracids

Rule : Names of negative ions from hydracids end in –ide.

For example , Cl^- (chloride) from HCl, and CN^- (cyanide) from HCN. Following examples will give you a better insight in this nomenclature. It is also useful to remember them.

Remember these names

Anion	Name
H^-	Hydride ion
D^-	Deuteride ion
F^-	Fluoride ion
Cl^-	Chloride ion
Br^-	Bromide ion
I^-	Iodide ion
O^{2-}	Oxide ion
S^{2-}	Sulphide ion
Se^{2-}	Selenide ion
Te^{2-}	Telluride ion
N^{3-}	Nitride ion
P^{3-}	Phosphide ion
As^{3-}	Arsenide ion
Sb^{3-}	Antimonide ion
C^{4-}	Carbide ion
Si^{4-}	Silicide ion
B^{3-}	Boride ion

Anions derived from oxyacids

Anion derived from an oxyacid by removal of one or more H^+ ions is termed as oxyanion.

Rule : If the oxyacid is – ic acid, suffix - ate is used with oxy-anion.

For example

CO_3^{2-}	carbonate (from H_2CO_3)
ZnO_2^{2-}	zincate
SiO_3^{2-}	silicate

Rule : If the oxyacid is - ous acid, suffix -ite is used with oxy-anion.

For example

NO_2^- (nitrite) is derived from HNO_2 (nitrous acid), and SO_3^{2-} (sulphite) is derived from H_2SO_3 (sulphurous acid)

Rule : If the oxyacid has prefixes per-or hypo–, the oxyanion will have same prefixes.

For example, ClO_4^- perchlorate ion from $HClO_4$, perchloric acid, ClO^- hypochlorite ion from HClO, hypochlorous acid

Remember these names !

SO_4^{2-}	sulphate
SO_3^{2-}	sulphite
NO_3^-	nitrate,
NO_2^-	nitrite
SnO_3^{2-}	stannate
SnO_2^{2-}	stannite,
PbO_3^{2-}	plumbate,
PbO_2^{2-}	plumbite

Anions containing replacable hydrogen ions

Polyprotic acid. Any acid containing more than one replacable hydrogens is said to be a polyprotic acid.

Replacable hydrogens. H atoms which can be lost as H^+ in reactions with a base.

H atoms connected to O atoms in oxyacids are all replacable. If all the replacable hydrogens are removed, we obtain the anions discussed in the sections above.

However, in all the polyprotic acids it is always possible to remove less than the maximum number of replacable hydrogens . e.g. H_3PO_4 is triprotic. We can remove one, two or three H^+ ions from it to generate $H_2PO_4^-$, HPO_4^{2-} and PO_4^{3-}.

You are already familiar with phosphate ion, PO_4^{3-}. The other two anions, $H_2PO_4^-$ and HPO_4^{2-} still contain H atoms that are replacable. We consider their nomenclature in this section.

Rule-1: A prefix bi- (old notation) or hydrogen – (IUPAC notation) is attached to the name of anion.

Rule-2: For triprotic or higher acids, numerical prefixes (e.g. mono, bi, tri) are also used to indicate the number of replacable H atoms left in the sample).

eg. HCO_3^- is bicarbonate or hydrogen carbonate

HSO_3^- bisulphite or hydrogen sulphite

HS^- bisulphide or hydrogen sulphide etc.

when anion has –3 charge, e.g. PO_4^{3-} then following possibilities arise.

HPO_4^{2-} monohydrogen phosphate, $H_2PO_4^-$ dihydrogen phosphate.

- **Miscellaneous Anions (To be comitted to memory)**

Anion	Name
HO^-	Hydroxide ion
O_2^{2-}	Peroxide ion
O_2^-	Superoxide ion
S_2^{2-}	Disulphide ion
I_3^-	Triodide ion
N_3^-	Azide ion
NH^{2-}	Imide ion
NH_2^-	Amide ion
CN^-	Cyanide ion
C_2^{2-}	acetylide ion
O_3^-	Ozonide ion
MnO_4^{2-}	Manganate ion
MnO_4^-	Permanganate ion
SCN^-	Thiocyanate ion
$S_2O_3^{2-}$	Thiosulphate ion
CH_3COO^-	Acetate ion
$C_2O_4^{2-}$	Oxalate ion

Th-7 Method of writing formula of an ionic compound

In order to write the formula of an ionic compound which is made up of two ions (simple or polyatomic) having net charges x and y respectively, follow the following procedure.

(i) Write the symbols of the ions side by side in such a way that positive ion is at the left and negative ion at the right as AB.

(ii) write their charges on the top of each symbol as A^xB^y.

(iii) Now apply criss- cross rule as $\overset{x}{A} \times \overset{y}{B}$, i.e. formula A_yB_x.

(iv) Cancel out any common factor (or HCF).

Examples :

1. Calcium chloride $\overset{2}{Ca} \times \overset{1}{Cl}$ $= CaCl_2$
2. Aluminium oxide $\overset{3}{Al} \times \overset{2}{O}$ $= Al_2O_3$
3. Potassium phosphate $\overset{1}{K} \times \overset{3}{PO_4}$ $= K_3PO_4$
4. Magnesium nitride $\overset{2}{Mg} \times \overset{3}{N}$ $= Mg_3N_2$
5. Calcium oxide $\overset{2}{Ca} \times \overset{2}{O}$ $= Ca_2O_2$
6. Ammonium sulphate $\overset{1}{NH_4} \times \overset{2}{SO_4}$ $= (NH_4)_2SO_4$

Cancelling the common factor, answer is CaO

RESONANCE STUDY CENTRES (Self Owned)

KOTA (Head Office):
Pre-Engineering Division: JEE (Advanced)
Pre-Engineering Division: JEE (Main)
Pre-Medical Division: AIIMS/ AIPMT
Tel.: 0744-3012222, 3192222, 6635555
e-mail: contact@resonance.ac.in

Commerce & Law Program Division (CLPD)
Tel.: 0744-3192229, 6060663
e-mail: clpd@resonance.ac.in

PCCP/PSPD/MEx
Tel.: 0744-2434727, 8824078330, 3192223, 2440488
e-mail: pccp@resonance.ac.in

DLPD
Tel.: 0744-6635556, 3012222
e-mail: dlpd@resonance.ac.in

eLPD
Tel.: 0744-3058242
e-mail: elpd@resonance.ac.in

JAIPUR
Tel.: 0141-6060661/ 64, 3103666, 6060662/63
e-mail: jaipurc@resonance.ac.in

BHOPAL
Tel.: 0755-3206353, 3192222, 3256353
e-mail: bhopal@resonance.ac.in

NEW DELHI
Tel.: 011-60606601/ 2/ 3/ 4/ 5/ 6/ 7
e-mail: delhi@resonance.ac.in

LUCKNOW
Tel.: 0522-3192222, 3192223/ 4, 6060660/ 61/ 62
e-mail: lko@resonance.ac.in

KOLKATA
Tel.: 033-31922222, 60606600/ 01/ 02
email: kolkata@resonance.ac.in

NAGPUR
Tel: 0712-3017222, 3192222, 6060660
e-mail: nagpur@resonance.ac.in

NANDED
Tel.: 02462-250220, 606066
e-mail: nanded@resonance.ac.in

MUMBAI
Tel.: 022-31922222, 60606600
e-mail: andheri@resonance.ac.in

UDAIPUR
Tel.: 0294-6060660, 5107510, 3192222
e-mail: udaipur@resonance.ac.in

BHUBANESWAR
Tel.: 0674-3192222, 3274919, 6060660/ 61
e-mail: bbsr@resonance.ac.in

AHMEDABAD
Tel.: 079-31922222/ 3/ 4 & 079-60606600/ 1/ 2
e-mail: abad@resonance.ac.in

PATNA
Tel.: 0612-3192222, 3192222/ 3
e-mail: patna@resonance.ac.in

JODHPUR
Tel.: 0291- 6060660
e-mail: jodhpur@resonance.ac.in

AJMER
Tel.: 0145-3192222, 6060660/ 65
e-mail: ajmer@resonance.ac.in

INDORE
Tel: 0731-3192222, 4274200
e-mail: indore@resonance.ac.in

SIKAR
Tel: 01572-319222, 606066
e-mail: sikar@resonance.ac.in

AGRA
Tel: 0562-3192222, 6060660
e-mail: agra@resonance.ac.in

RANCHI
Tel.: 0651-6060660
e-mail: ranchi@resonance.ac.in

ALLAHABAD.
Tel.: 0532-6060660
e-mail: allahabad@resonance.ac.in

NASHIK
Tel.: 0253-6090028
e-mail: nashik@resonance.ac.in

RAIPUR
Tel.: 0771- 6060660
e-mail: raipur@resonance.ac.in

AURANGABAD
Tel.: 0240-6060660
e-mail: aurangabad@resonance.ac.in

JABALPUR
Tel.: 0761- 6060660
e-mail: jabalpur@resonance.ac.in

GWALIOR
Tel.: 0751-6060660
e-mail: gwalior@resonance.ac.in

CHANDRAPUR
Tel.: 07172-606066
e-mail: chandrapur@resonance.ac.in

SURAT
Tel.: 0261-6060660
e-mail: surat@resonance.ac.in

RAJKOT
Tel.: 0281-6002011
e-mail: rajkot@resonance.ac.in

VADODARA
Tel.: 0265-6060660
e-mail: vadodara@resonance.ac.in

BASE STUDY CENTRES

Base Education Service Pvt. Ltd.
Bengaluru (Main Branch):
Reg. Office : No.27, Next to Indian Oil Petrol Bunk, Bull Temple Road, Basavanagudi, Bengaluru- 560004
Tel. No.: 42604600/ 95381 41504
E-Mail : info@base-edu.in
Website: www.base-edu.in

BANASANKARI II STAGE
Tel : 26710835/26710836

BELAGAVI
Tel : 0831- 4208687 | Mobile : 9845228000

CHITRADURGA
Mobile : 9886464755, 9972413844

HUBLI
Tel : 0836- 2252685 | Mobile : 9844118615

INDIRANAGAR
Tel : 41179342/25201306

KALYAN NAGAR
Tel : 080-25443363/25443364

KORAMANGALA
Tel : 40925512/40925534

MALLESHWARAM
Tel : 41400008

MYSURU
Tel : 0821-4242100 /4258100/4243100

RAJAJINAGAR
Tel: 08023327588/41162135

SHIVAMOGGA
Tel : 08182-223980, 8884849590

TUMAKURU
Tel :0816-2252387

UDUPI
Tel : 0820-2522449, 2522994, 9986663074

VIJAYANAGAR
Tel : 23111333/23111334

YELAHANKA
Tel: 08028463922/42289643

CHIKKAMAGALURU
Mobile : 7411329369, 9448396890

HASSAN
Mobile : 9481392014, 9972038283

J P NAGAR
Tel : 26595151/26595153.

KALABURGI
Tel : 08472-230914
Mobile : 9845905200/9844510914

Resonance®
Educating for better tomorrow

Corporate Office: CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Rajasthan)- 324005
Reg. Office: J-2, Jawahar Nagar Main Road, Kota (Raj.)- 05 | **Tel. No.:** 0744-3192222, 3012222, 6635555 | **CIN:** U80302RJ2007PLC024029
To Know more: sms **RESO** at **56677** | **E-mail:** contact@resonance.ac.in | **Website:** www.resonance.ac.in

Toll Free : 1800 258 5555 | 08003 444 888 | facebook.com/ResonanceEdu | twitter.com/ResonanceEdu | www.youtube.com/resowatch | blog.resonance.ac.in

D'sign Press

WWW.GRADESETTER.COM